

1/20




FIG. 1




FIG. 2

09/09/01 09:09:01

2/20




FIG. 3




FIG. 4

3/20




FIG. 5




FIG. 6

4/20




FIG. 7




FIG. 8

5/20




FIG. 9




FIG. 10

097955-0100
"FIG. 9" 55476

6/20




FIG. 11

FIG. 11 is a schematic diagram of a coating device assembly.

7/20




FIG. 12




FIG. 13

8/20




FIG. 14




FIG. 15




FIG. 16

FIG. 16

10/20




FIG. 17

FIG. 17




FIG. 18

FIG. 18

12/20




FIG.19

13/20

Dim. Min.
Caliper

- 0.63-0.7
- 0.56-0.63
- 0.49-0.56
- 0.42-0.49
- 0.35-0.42
- 0.28-0.35
- 0.21-0.28
- 0.14-0.21
- 0.07-0.14
- 0-0.07




FIG. 20




FIG. 21

15/20




FIG. 22




FIG. 23

16/20




FIG. 24




FIG. 25

18/20

Dim. Min.
Caliper

- 0.558-0.62
- 0.496-0.558
- 0.434-0.496
- 0.372-0.434
- 0.31-0.372
- 0.248-0.31
- 0.186-0.248
- 0.124-0.186
- 0.062-0.124
- 0-0.062




FIG. 26

19/20




FIG. 27

